



COMPANY PROFILE

Your Trusted Partner in
Construction and Oilfield
& Industrial Hardware
Solutions

VAT REG 121392
EST 1976

OUR SERVICES



Oilfield and
Industrial Supplies



Construction



Construction
Material Supply



WHY CHOOSE US



Industry Expertise



Quality Assured Products



End-to-End Solutions



Reliable Supply Chain



ABOUT US

We are a leading oilfield and industrial hardware company specializing in the supply of oil and gas equipment, construction materials, and industrial components. With decades of experience, we deliver high-quality products and tailored solutions to support upstream, midstream, and downstream operations across the globe.

PHONE: 658-5000

RISHI: 685-1920 RAVI: 3697788

EMAIL: SALES@OIHLVALVE.COM

LOCATION: 236 SOUTHERN MAIN ROAD, MARABELLA.



TABLE OF CONTENTS

1 ABOUT OUR COMPANYPAGE 3

2 ORGANIZATION STRUCTUREPAGE 4

3 VISION AND MISSIONPAGE 5

4 COMPANY PRODUCTSPAGE 6-31

5 OUR COMPANY SERVICES STATMENT ...PAGE 32-33

6 SAFETY ASSURANCE POLICY ...PAGE 34-35

7 JOBS COMPLETED ...PAGE 36-42

8 COMPANY SERVICES ...PAGE 43-55

9 COMPANY ASSETS ...PAGE 56-64

10 CONTACT US ...PAGE 65




ABOUT US

History

Established on the 2nd January 1976, Oilfield and Industrial Hardware Ltd, commenced as a small marketing company previously known as oilfield & Industrial Supplies Ltd. In the year 2004, Oilfield & Industrial Hardware Ltd began operating under its changed Name/ Location and has been supplying a wider range of items to meet all customer needs and demands.



ORGANIZATION STRUCTURE





MISSION STATEMENT

Continue to provide high quality, affordable goods
Create and cultivate long term relationships with clients
To be receptive to customer's needs and react in a professional and timely manner
Achieve complete customer-satisfaction and cost effective goods
Maintain professional relationships with our clients by on-going communication
to achieve the highest standard of performance

• VISION

The vision at Oilfield & Industrial Hardware Ltd is to be the leading supplier of Oilfield & Industrial Supplies by providing exceptional customer service and quality products at excellent prices.

• MISSION

At Oilfield & Industrial Hardware Ltd, we promote honesty & integrity to our customers. We strive to be a profitable, growth-oriented company that treats our customers with respect and care. Our aim is to excel in our business through dedication, commitment, quality & motivation of management.



COMPANY PRODUCTS

BINDING WIRE

- B.R.C WIRE: Steel & Galvanize
- CUTLASS WIRE
- CHAIN LINK WIRE
- PERMINITE JOINING: Red, Metallic, Graphited Sheetting (Sizes 1/16" 1/8" 1/32" 1/4" etc)
- RUBBER INSERTION: Roll sizes 1/16", 3/16", 1/4"
- WIRE ROPE CABLE: Steel and Galvanized (Sizes 1/4" to 3/4")
- TURNBUCKLES: Crosby, Galvanize
- SHACKLES: Crosby & Galvanized (Size 4" - 2")
- SNATCH BLOCK PULLEYS: Wooden & Steel (Sizes 2", 4", 6")

UNIONS: Galvanize Mild Steel, Screwed, Socket Weld (Sch 40, 80 & 3000 lbs) in a wide range of sizes

- Valves: Ball Valves, Gate Valves, Globe Valves, Check Valves, Butterfly Valves,
- Food Stop Valve, Stop Cork Valve-Cast Iron, Forged Steel, Flange Type,
- 150 P.S.I, Screwed and Welded
- U-CLAMPS: Sizes from 1/2" to 6"
- CIR-CLIP: Wide Range of Sizes
- O-RINGS: Wide Range of Sizes





COMPANY PRODUCTS

EUROPEAN APPROVED PIPES, VALVES & FITTINGS

STAINLESS STEEL FITTINGS



BLACK STEEL PIPES & FITTINGS



VALVES & FITTINGS





COMPANY PRODUCTS


STEEL MERCHANT COUPLING
AMERICAN STANDARD: ASTM A865
BRITISH STANDARD: BS EN10241
DIN STANDARD: DIN 2999



ASTM A733
PIPE: ASTM A53
THREADS: ANSI B1.20.1
BS EN10241
PIPE: BS1387
THREADS: ISO 7/1
DIN 2982
PIPE: DIN 2440
THREADS: DIN 2999



COMPANY PRODUCTS



300 PSI MALLEABLE IRON PIPE FITTING

American Standard

Material: ASTM A-197, ASTM A47

Dimensions: ASME B16.3 B16.14

Union Dimensions: B16.39

Threads: ANSI B1.20.2

Size Available: 1/4"-10"



150# CAST STEEL PIPE FITTING

Material: ASTM A126

Dimensions: ASME/ANSI B16.4

Threads: ANSI B1.20.1

Size Available: 1/4"-10"



COMPANY PRODUCTS

FLANGES



CARBON STEEL

SIZES:

A105N-FULL RANGE
STD, XS, Sch 160 and XXS
1/2" to 36"
CLASS 150 to CLASS 1500


Limited sizes in A350 LF2, A182 F11 & F22



STAINLESS STEEL

SIZES: 3/4" to 36"
CLASS 150 to CLASS 1500

GRATINGS GALVANIZED COATINGS



SIZES: 6 x 3 / 20 x 3

SOLID BARS:

4140, En19
304 & 316 Stainless Steel
Bronze & Hex

1/4"- 10"- BANDED AND UNBANDED



COMPANY PRODUCTS

EUROPEAN APPROVED PIPES

BLACK SEAMLESS PIPES 1/2" - 36" SCH 40-160



A312 TP304L and 316L
1/2" to 6" STD and XS Wall
A106/A53/APL 5L - X42 GR B
SEAMLESS
1/4 to 24" STD WALL
1/4" to 12" XS WALL
1/2" to 6" SCH 160
1/2" to 6" XXS



GALVANIZED PIPES 1/2" - 12" SCH 20-80



STAINLESS STEEL PIPES 1/2" - 6" SCH 40-160



Carbon Steel, Stainless Steel





COMPANY PRODUCTS

SHEETS

STAINLESS STEEL: GRADE: 304, 316


BRONZE AND MILD STEEL: SIZE 1/16- 11/2 **DIMENSIONS:** 8ft x 20ft, 4ft x 8ft





COMPANY PRODUCTS

RIDGID





COMPANY PRODUCTS

RIDGID



**RIDGID
MACHINES**



RIDGID DRILLS



**RIDGID
DRILL BIT SETS**



RIDGID TAPPING SETS



**RIDGID
PIPE WRENCHES**



**RIDGID
BATTERY PRESS
TOOL KITS**



COMPANY PRODUCTS

KLEIN TOOLS®



For Professionals... Since 1857™

***TOP QUALITY TOOLS FOR
PROFESSIONAL INSTALLERS***





COMPANY PRODUCTS

SAFETY PRODUCTS

RUBBERMAID WATER COOLER: Sizes: 3.5 and 10 Gallons

GLOVES: Polka Dot Gloves (Single and Double Sided), Nitrile Gloves, Green Palm Gloves, Welders Gloves, P.V.C. Gloves, Latex and Chemical Gloves

GOGGLES: Dust, Chemical, Safety and Welding

HELMET: Safety and Welding

SAFETY GLASSES

P.V.C. RAINCOAT: Jacket and Pants, Coats

P.V.C. APRON

DISPOSABLE COVERALLS

REFLECTIVE TAPE (Silver Grey, Red + White Strips)

CATION TAPE AND DANGER TAPE

SAFETY VEST (Orange Knitted Green and Grey)

COTTON SHIRT AND PANTS

CAUTION WET FLOOR SIGN

SAFETY BACK STRAPS

FACE SHEILDS

DUSK MASKS

EAR PLUGS





COMPANY PRODUCTS

PRODUCT CATEGORIES

OIHL has over 5,000 products for our customers to choose from. We have recently introduced a new product category that comprises of a wide range of wholesale hardware items. In addition, the majority of our items are imported from countries such as Italy, Brazil, Turkey, China, United States of America, England, Mexico and many others. OIHL also carries a variety of miscellaneous items. Our customers can either walk in or, call in to pick up their items if they prefer to have their items hand delivered at any specific time for their convenience. You can also feel free to request quotes via our e-mail or fax to source the product you require. We also stock numerous top brands such as Walworth, Pegler, Stanley, Klein, Yale, Centurion, Dewalt, Rigid, Black & Decker and lots more.....



DEWALT



RIDGID



BLACK & DECKER



PEGLER



STANLEY



Yale



COMPANY PRODUCTS

DURABLA


...GASKETING PRODUCTS

Durabla compressed gasket materials are high density products featuring the most homogenous combination of natural or synthetic fibers and elastomers, and surpass industry standards in gauge tolerance. They are used in a wide variety of industries on a broad range of chemicals at varying temperatures and pressures. Their excellent flexibility prevents large, narrow flange gaskets from breaking during cutting and installation, and their superior recovery ensures tight sealing during thermal cycling.

Additional features include:

- Close-range compressibility for consistency and accurate spacing.
- Reliability backed by over 80 years' experience.
- Local distribution for quick and easy delivery.
- Branding for easy identification, and assurance of genuine Durabla Gasket material helps prevent misapplication.
- All full-sized sheets are date coded and quality assurance traceable.
- A release agent on both sides of the sheet ensures good anti-stick properties.


The Durabla filled PTFE and flexible graphite gasket materials complement our compressed sheet family by giving you the right gasket for all your soft gasket needs. Whether your requirement is a tough chemical service, or a high temperature application, you can depend on Durabla.





COMPANY PRODUCTS

50 /m Thru 300 "/m Octagon stem design to drive the disc for open/close.
350 " The 608 "In Revol sin sisel se s to be tine di fie decy




NO. NAME	MATERIAL	SPECIFICATION		REMARK
		JIS	ASTM	
1. Body	CAST IRON	FC 20	A126-B	2" - 24"
	DUCTILE IRON	FCD 45	A-536-65-45-12	
	STAINLESS STEEL	SCS 13/14	A351CF8/CF8M	2" - 12" ONLY
	CARBON STEEL	SCPH2	A216 WCB	
2. Liner	NBR (NITRILE)			-10°~80° C (14°~176° F)
	EPDM			-20°~120° C (-4°~248° F)
	NEOPRENE (CR)			-0°~80° C (32°~176° F)
	SILICON			-20°~204° C (-4°~400° F)
	HYPALON (CSM)			-20°~135° C (-4°~275° F)
	VITON			-18°~204° C (-0.4°~400° F)
3. Stem	STAINLESS STEEL	SUS 410	A182F 410	
		SUS 304	A182F 304	
		SUS 316	A182F 316	
4. Disc	CARBON STEEL	SCPH2	A216 WCB	
	DUCTILE IRON	FCD 45	A-536-65-45-12	
	STAINLESS STEEL	SCS 13	A351CF8	
		SCS 14	A351 CF8M	
5. Taper Pin <14"-24">	BRONZE	BC 6	B584-C836000	
5. Taper Pin <14"-24">	STAINLESS STEEL	SUS 316	A182F 316	
6. Bushing	NYLON			
7. O-Ring	NBR (NITRILE)			



COMPANY PRODUCTS

CAST STEEL GALVANIZE ANSI CLASS 350




APPLICABLE STANDARDS:

Design per API 600
Test per API 598
Face to Face Dimensions per ANSI B16.10
End Flange Dimensions per ANSI B16.5
Butt-welding ends per ANSI B16.25

PARTS AND MATERIAL LIST

No.	PARTS	MATERIAL
1	Body	ASTM A216 Gr.WCB
2	Bonnet/yoke	ASTM A216 Gr.WCB
3	Wedge	ASTM A216 Gr.WCB+CR13
4	Seat Ring	ASTM A105+Sellite
5	Stem	ASTM A182 Gr.F6a
6	Back-Seat Bushing	ASTM A182 Gr.F6a
7	Gland	ASTM A182 Gr.F6a
8	Gland Flange	ASTM A216 Gr.WCB
9	Packing	Graphite
10	Gasket	Stainless steel and graphite spiral wound
11	Yoke Sleeve Nut	A439 Type D2 or Al-Bronze
12	Retainer Nut	Carbon Steel
13	Handwheel	Ductile Iron
14	Handwheel Nut	Carbon Steel
15	Bonnet Stud Bolts	ASTM A193 Gr.B7
16	Bonnet Stud Bolt Nuts	ASTM A194 Gr.2H
17	Gland Eyebolts	ASTM A307 Gr.A
18	Gland Eyebolts Pins	Carbon Steel
19	Gland Eyebolts	ASTM A194 Gr.2H
20	Grease Nipple	Carbon Steel

CAST STEEL GATE VALVE ANSI CLASS 300



APPLICABLE STANDARDS:

Design per API 600
Test per API 598
Face to Face Dimensions per ANSI B16.10
End Flange Dimensions per ANSI B16.5
Butt-welding ends per ANSI B16.25


PARTS AND MATERIAL LIST

No.	PARTS	MATERIAL
1	Body	ASTM A216 Gr.WCB
2	Bonnet/yoke	ASTM A216 Gr.WCB
3	Wedge	ASTM A216 Gr.WCB+CR13
4	Seat Ring	ASTM A105+Sellite
5	Stem	ASTM A182 Gr.F6a
6	Back-Seat Bushing	ASTM A182 Gr.F6a
7	Gland	ASTM A182 Gr.F6a
8	Gland Flange	ASTM A216 Gr.WCB
9	Packing	Graphite
10	Gasket	Stainless steel and graphite spiral wound
11	Yoke Sleeve Nut	A439 Type D2 or Al-Bronze
12	Retainer Nut	Carbon Steel
13	Handwheel	Ductile Iron
14	Handwheel Nut	Carbon Steel
15	Bonnet Stud Bolts	ASTM A193 Gr.B7
16	Bonnet Stud Bolt Nuts	ASTM A194 Gr.2H
17	Gland Eyebolts	ASTM A307 Gr.A
18	Gland Eyebolts Pins	Carbon Steel
19	Gland Eyebolts	ASTM A194 Gr.2H
20	Grease Nipple	Carbon Steel



COMPANY PRODUCTS

SHACKLES, CABLE CLIPS & SLINGS





COMPANY PRODUCTS



WALWORTH[®]

Since 1842





COMPANY PRODUCTS



GATE VALVES
2"-42"

CLASS 150,300,600,900,1500,2500



GLOBE VALVES
2"-20"

CLASS 150,300,600,900,1500,2500



CHECK VALVES
CLASS 150,300,600,900,1500,2500
2"-24"



BALL VALVES
CLASS 150,300,600,900,1500,2500
1/2"-40"



Y-STRAINER

CLASS 150,300,600
2"-20"



DUAL PLATE CHECK VALVES
WAFFER STYLE CLASS 150, 300, 600, 900, 1500, 2500
2"-48"



BUTTERFLY VALVES
2"-24"



MALLEABLE PIPE FITTING



BUTTERFLY VALVES
LUG STYLE
2"-24"



3PC BALL VALVES
1/4"-4"



BUTT WELDING FITTING

END: BUTT WELD, SOCKET WELD, THREAD



NEEDLE VALVES
F×M, F×F, 6000 PSI
1/4"-1"



COMPANY PRODUCTS

VALVES



API GATE VALVE 150LB -1500 LB

Size: 2" - 30"

Material: WCB, WCC, LCB, LCC, CF8, CF8M, CF3, CF3M

Face to Face: ANSI B16.10, API 6D

Flanged Connection: ANSI B16.5

Test and Inspection: API 598, API 6D



API BALL VALVE 150LB - 1500 LB

Size: 1/2" - 24"

Design and Manufacture: ANSI B 16.34, API 6D

Face to Face: ANSI B16.10, API 6D

Flanged Connection: ANSI B16.5

Test and Inspection: API 598, API 6D



GLOBE VALVE 150LB - 1500 LB

Size: 2" - 24"

Material: WCB, WCC, LCB, LCC, CF8, CF8M, CF3, CF3M

Design and Manufacture: ANSI B16.34, BS1873

Face to face: ANSI B16.10

Flanged Connection: to ANSI B16.5

Test and Inspection: API 598, API 6D



API SWING CHECK VALVE 150LB - 1500LB

Size: 2" - 24"

Material: WCB, WCC, LCB, LCC, CF8, CF8M, CF3, CF3M

Design and Manufacture: ANSI B16.10, API 6D

Face to Face: ANSI B16.10, API 6D

Flanged Connection: ANSI B16.5

Test and Inspection: API 598, API 6D



Y-STRAINER 150LB - 1500LB

Size: 1 1/2" - 12"

Material: WCB, WCC, LCB, LCC, CF8, CF8M, CF3, CF3M

Design and Manufacture: ANSI B16.34

Flanged Connection: ANSI B16.5

Test and Inspection: API 598, API 6D



COMPANY PRODUCTS


HARDWARE ITEMS

ITEM PHOTO	ITEM	SIZE
	BINDING WIRE ROLLS	1 LB 40 LB
	P.P ROPE	1/4" 5/16" 3/8"
	MELAMINE FACED MDF BOARD TWO FACE MOHOGANY & TEAK	1/4" 5/8"
	ARMITAGE TOILET SET COMPLETE WITH SEAT	STANDARD



COMPANY PRODUCTS

HARDWARE ITEMS

ITEM PHOTO	ITEM
	LIGHT SWITCH AND PLUGS
	BULBS
	SCREWS & NAILS
	TOOLS



COMPANY PRODUCTS

HARDWARE ITEMS

ITEM PHOTO	ITEM
	DENSO TAPES
	3M TAPES
	GLOVES
	GALVANIZED AND STEEL CHAINS ALL SIZES



COMPANY PRODUCTS



PENTA:

WIDE RANGE OF TEXTURES AND COLOURS
PRIMERS & THINNERS



BERGER PAINTS:

WIDE RANGE OF TEXTURES AND COLOURS
PRIMERS & THINNERS



KALIEDESCOPE PAINTS:

WIDE RANGE OF TEXTURES AND COLOURS
PRIMERS & THINNERS



SISSONS PAINTS:

WIDE RANGE OF TEXTURES AND COLOURS
PRIMERS & THINNERS

INDUSTRIAL PAINTS ARE AVAILABLE



**ALL SIZES ON
PAINT BRUSHES AND REFILLS**





CONSTRUCTION PRODUCTS

GYPSUM



SAND AND GRAVEL



DOOR AND
DOOR FRAMES



CEMENT






CONSTRUCTION PRODUCTS

PURLIN



RED BLOCKS



CONCRETE
BLOCKS



LUMBER





CONSTRUCTION PRODUCTS

PLYWOOD



BRC



REBAR



WINDOWS





OUR COMPANY SERVICES

Oilfield and Industrial Hardware

1. Introduction

Oilfield and Industrial Hardware is a construction and industrial services provider committed to delivering high-quality projects within scheduled timelines and budgetary requirements. We offer comprehensive construction solutions supported by a skilled workforce and experienced craftsmen dedicated to excellence, safety, and reliability.

We provide end-to-end project execution services, covering the full construction lifecycle from initial planning and design support through to final completion and handover.

2. Core Services

Our organization undertakes construction works across both the commercial and industrial sectors, with specialization in the following disciplines:

Civil Construction Works

Electrical Installation Services

Plumbing Installation and Maintenance

General Maintenance Services

We also provide maintenance support for all associated field engineering systems and construction materials as required.

3. Workforce Capacity

Oilfield and Industrial Hardware maintains a flexible and scalable workforce structure to meet varying project demands. Our manpower capacity ranges from:

Minimum: 20 skilled personnel

Maximum: 60 skilled personnel

This flexibility allows us to efficiently manage projects of differing size, complexity, and duration.



OUR COMPANY SERVICES

4. Equipment and Resources

We have access to a comprehensive range of construction equipment, tools, and machinery required to execute projects of any scale. Our resource base ensures operational efficiency, safety compliance, and timely project delivery.

5. Project Delivery Approach

Our approach is centered on:

- Adherence to project timelines and milestones

- Strict budget control and cost efficiency

- Skilled supervision and technical oversight

- Commitment to quality workmanship

- Compliance with applicable industry standards and safety requirements

We ensure coordinated execution across all phases of construction to deliver reliable and durable outcomes.

6. Commitment to Excellence

Oilfield and Industrial Hardware is committed to maintaining high standards of professionalism, workmanship, and client satisfaction. Our team strives to consistently deliver construction solutions that meet and exceed project expectations.



Our Safety Assurance Policies

Our personnel follow the guidelines put out by ISO 9002 and trained in basic safety.

We also comply with the safety procedures that are stipulated by our client companies.

Our personnel stress the importance of conducting safety meetings at the beginning of every day, which will cover, drills to prevent various accidents.

- Safety Meeting
- Daily log sheets:

Assist in recording near miss which may have occurred the previous day so that this situation can be addressed.

- Equipment Placement:

Fire Extinguishers (Full charge) being placed at strategic points in the works area in case of hot work application.

First Aids Kits (fully stocked) on site at all times.

Cutting Gas Bottles to be placed in bottle stands when in use.



Our Safety Assurance Policies

- Safety Wear

Safety boots, safety helmets, safety glasses as normal attire.

Earplugs or muffs to be worn around loud machinery.

Harness to be worn when working at heights exceeding.

Dust mask to be worn in an environment where impure particles are present.

Respirator to be worn in an environment where toxic fumes is present.

All equipment owned and used by the company is inspected and certified.



JOBS COMPLETED



Adventure Housing Development, Plymouth Tobago



Union Hall Housing Development



Cypress Gardens Primary School



ST ANNS



DEBE



RETRENCH



MORUGA COMPOSITE




COMPANY SERVICES

RESIDENTIAL BUILDINGS



COMMERCIAL BUILDINGS





FOUNDATIONS



RETAINER WALLS

BOX DRAINS





RETAINER WALLS

BOX DRAINS




**STEEL BEAM FABRICATION &
ERECTION PROCESS LINES & PIPE
FABRICATION STEEL SHEET
FABRICATION**



**STEEL BEAM FABRICATION &
ERECTION PROCESS LINES & PIPE
FABRICATION STEEL SHEET
FABRICATION**




PLUMBING




ELECTRICAL



LAND DEVELOPMENT BUILDING PLANS & ENGINEERING DESIGNS



LAND DEVELOPMENT BUILDING PLANS & ENGINEERING DESIGNS



EXCAVATION AND SITE CLEARING



SITE GRUBBING



COMPANY ASSETS



CATERPILLAR MINI
EXCAVATOR 305



CATERPILLAR
EXCAVATOR 320



COMPANY ASSETS



JCB BACKHOE 3CX



MITSUBISHI FUSO
DUMPER 18 YARD



COMPANY ASSETS



MITSUBISHI
FUSO 10 TON
HIAB TRUCK



ISUZU 7.5 TON
FLAT BED



COMPANY ASSETS



4 X 20FT
CONTAINERS



2 X HYUNDAI
H100



COMPANY ASSETS



FG WILSON
DIESEL
GENERATOR



DIESEL WATER
PUMPS



COMPANY ASSETS



2 X LINCOLN
DIESEL WELDING
PLANTS



3 X ARC WELDING
PLANTS



COMPANY ASSETS



4 X HONDA
3000 PSI
PRESSURE
WASHERS



3 X CONCRETE
MIXERS



COMPANY ASSETS



2 X ROAD
SAWS



3 X FLAT PLATE
WACKERS



COMPANY ASSETS




4 X JUMPING
JACK WACKERS



2 X CONCRETE
POKERS



OILFIELD & INDUSTRIAL HARDWARE LTD



248 Southern Main Road, Marabella

TEL: 658-2133 / 658-5000 / 658-PIPE (7473)

FAX: 658-2000

EMAIL: ADMINS@OIHLVALVE.COM